

GOVERNMENT OF HIMACHAL PARDESH
NOTICE INVITING TENDER
IRRIGATION & PUBLIC HEALTH

EE Keylong

Division Keylong

SubDivision Udaipur

1. Tender in the prescribed forms I&PH **6&8** are hereby invited on the behalf of Governor of H.P. for name of work **Resotration of FIS Jhooling-II in GP Thirotdist. Lahaul Spiti (HP). (SH:- C/o wrie crate work & Laying, jointing & testing of HDPE pipe 90mm dia = 200Rmt)..**
2. **Estimated cost of Rs 2,42,573/- only**
3. Contract Documents consisting of the detailed plan specifications, the schedule of quantities of the various classes of work to be done and the set conditions of contract to be complied with by the person whose tenders may be accepted can be seen/purchased at the Division/Sub Division office between the hours of 11 A.M. and 5 P.M. every day except on Sunday and Public holidays .
4. The site of the work is available/or the site for the work shall be made available in the parts as specified below.
5. Tenders which should always be placed in sealed cover with the name of work written on the envelopes will be received by the Executive /Assistant Engineer Keyong Division/Sub Division up to **09.08.2018** and will be opened by him in his office on the same day at **3.30 PM**.
6. Tenders are to be on I&PH Form No.....**6&8**..... which can be obtained from the office of Divisional/Sub Divisional officer concerned on the payment of a sum of Rs. **250/-** in cash. The time allowed for the carrying out the work will be.....**Six Months** from the 15th day after the date of the written orders to commence work.
7. The contractor should quote in figure as well as in words the rate and amount tendered by them. The amount for each item should be worked out and the requisite totals given.
8. When a contractor signs a tender in an Indian language the percentage above or below and the tendered amount in the case I&PH Form No. **6&8** and the total amount tendered in the case of I&PH Nos. 8 and 12 should also be written in the same language. In the case of illiterate contractor the rates or the amount tendered should be attested by a witness.
9. Issue of tender form will be stopped _____days before the date fixed for the opening of tenders, i.e. On **08.08.2018** at 5.00PM.
10. Earnest money amount to **Rs. 4900/-...** (unless exempted) in cash/Deposit at Call Receipt of Scheduled Bank guarantee by the Reserve Bank of India or in cash must accompany each tender and each tender to be in a sealed envelop subscribed Tender for the above work and addressed to the Executive/Assistant Engineer Division/Sub Division.
11. The tender of those contractors those who do not deposit the earnest money in the prescribed manner will summarily rejected.
12. The contractor of those tender is accepted, (unless exempted) will be required to furnish by way of security deposit for the due fulfillment of his contract, such some as will amount :-
 - (i) In case of work costing upto Rs. 5 lacs, 10% of tendered amount of the work.
 - (ii) In the case of work costing more than of Rs. 5 lacs but up to Rs. 10 lacs, 7.5 of the amount in excess of Rs. 5 lacs.
 - (iii) In case of work costing more than Rs. 10 lacs, 5% of the amount in excess Rs. 10 lacs.

The security deposit will be collected by deductions from running bills of the contractor at the rates mentioned above and the earnest money deposited in the shape o National Saving certificate in any of the post Office HP duly pledge in favour of the Engineer-in-Charge HPIPH Division will be accepted.
13. The acceptance of a tender will rest with the Executive Engineer, who does not bind himself to accept the lowest tender and reserves to himself the authority to reject any or all of the tenders received without the assignment of reason. All tenders in which any of the prescribed conditions are not fulfilled or are incomplete in any respect are liable to be rejected.
14. Canvassing in connection with tenders is strictly prohibited and the tenders submitted by the contract-ors who restore to canvassing will be liable to rejection.
15. All rates should be quoted on the proper form of the tender alone.
16. Any item rate tender containing percentage below/above will be similarly rejected. However where a tenderer voluntarily offers a rebate for payment with in a stipulated period this may be considered.
17. On acceptance of a tender the name of the authorized representative (s) of the contractor who would be responsible for taking instructions from the Engineer-in-Charge.
18. Special care should be taken to write the rates in figures as well as in words and the amount in figures, Only in such a way that interpolation is not possible. The total amount should be written both in figures and in words. In case of figures the word Rs should be written before the figures of the rupees and words 'P' after the decimal figure e.g.Rs215and in case of words the word Rupees should precede and the word Paisa should be written at the end. Unless the rate is in whole rupees and followed by the words 'only' it should invariably be upto two decimal place.

Addition DeletionCorrectionOverwriting.

(Contractor.....)

(Ex. Engineer.....)

(ii)

19. The Government of H.P. does not bind himself to accept the lowest or any tender and reserves to himself to fight of accepting the whole or any part of the tender and the tenderer shall be bound to perform the same at the rate quoted.
20. Sales Tax or any other tax on material In respect of this contract shall be payable by the contractor and Govt. will not entertain any claim whatsoever in this respect or deduction at source will be regulated under the provision of the Sales Tax Act.
21. The contractor must produce Income Tax Clearance certificate on the revised form notified under Ministry of Finance O.M. No. 221/34/76 II AI dated 21-5-81 circulated under O.M. No. 17829/55(I) 86-Coord dated 28-8-81 before the tender papers can be sold to him.
22. The contractor shall not be permitted to tender for works in the I&PH (responsible for awards and execution of contracts) in which his near relative is posted as Divisional Accountant or as officer in any capacity between the grades of Superintendent Engineer and Junior Engineer (Both inclusive) He shall also intimate the names of persons who are working within him in any capacity or are subsequently employed by him and who are near relatives to any gazetted officer in I&PH Department in the ministry of urban development. Any breach of this condition by the contractor would render him liable to be removed from the approved list of contracts or this department.
23. The contractor shall give a list of non-gazetted I&PH employees related to him. No Engineer of Gazetted rank or other Gazetted officer employed in Engineering or Administrative duties in an Engineering Department of the Government of H.P. allowed to work as a contractor for a period of two years of his retirement from Government service without the previous permission of the Government of H.P. This contract is liable to be conceded if either the contractor or any of his employees is found at any time to be such it person who has not obtained the permission of the Government of H.P. as aforesaid before submission of the tender or engagement in the Contractor's service.
24. The tender for works shall remain open for acceptance for a period of -----days from the date of opening of tenders.
25. The contractors exempted from payment of earnest money/security deposit in individual cases should attach with the tender deposit and should produce the original whenever called upon to do so.
26. The tender for the work shall not be witnessed by a contractor or contractors who himself/themselves has/have tendered or who may and has/have tendered for the same work. Failure to observe this condition would render tenderers of the contractors tendering as well as witnessing the tender liable to similarly rejection
27. While quoting the rate in the schedule of quantities the word "ONLY" should be written cost following the amount and it should not be written in the next line.
28. In case the original tender of the successful tender is on plain papers it should be drawn up by HPIPH contract for signature of the even of letter's refusal to sing, his earnest money be forfeited.
29. The contractor shall submit a list of works which are in hand/ progress.
30. Overwriting in the tender is strictly forbidden and correction if any should be initiated, tender containing doubtful figure shall be rejected.

The tender shall sign each page of tender form.

In view of the short supply of tender documents from viz forms CPWA-6 etc. with department therefore, Executive Engineer/ Assistant Engineer I&PH Division/ Sub-Division Keylong and shall abide by them which execute the contract if concluded in my/ our favour.

"In case the lowest tenderer with draws the offer 'or fails to 'Start the work or refuses to carry out the work, for which he has tendered and found to be t he lowest one after its opening within the validity period. The earnest money so deposited by tenderer shall stand forfeited and will be absolutely at the disposal of the HP Govt. without any reservation on the part of the tenderer".

31. The decision of Executive Engineer, regarding the quantum of reduction as well as justification therefore in respect of Sub-standard work which may be decided to be accepted will be final will not be opened to arbitration.
32. i).Steel required for the bonafied use of work will arranged by the contractor himself against in authorization made by the concerned Executive Engineer from the principal manufacturer such as SAIL/TISCO & bills in support of purchase of steel will be attached with the running bills of the work done and supported with test certificate.
ii). Cement require for the bonafied use will be procured by the contractor from the principal manufacturer such as Amubja/ ACC and bills in support of purchase of cement will be attached with the running bills of the work done. Cement older than three months from the date of manufacturing will not be allowed to be used.
iii). Bitumen required for the bonafied use of work will be procured by the contractor against authorization made by the concerned Executive Engineer from the principal manufacturer such as Bharat Petroleum/ Indian Corporation and bill in support of purchase of bitumen will be attached. With the running bills of the work done.

Signature of Contractor
With full Address

Executive Engineer
I&PH Division Keylong
(for and on behalf of Governor of Himachal Pradesh)

Addition DeletionCorrectionOverwriting.

(Contractor.....)

(Ex. Engineer)

GOVERNMENT OF HIMACHAL PARDESH
NOTICE INVITING TENDER
IRRIGATION & PUBLIC HEALTH

EE Keylong

Division Keylong

SubDivision Udaipur

- 1. Tender in the prescribed forms I&PH 6&8 are hereby invited on the behalf of Governor of H.P. for name of work Providing Flood Protection work to Udgosh (Mhangut) in GP Tingret Distt. Lahaul Spiti (HP). (SH:- C/o wire crate 0 to 75).
2. Estimated cost of Rs 9,84,181/- only
3. Contract Documents consisting of the detailed plan specifications, the schedule of quantities of the various classes of work to be done and the set conditions of contract to be complied with by the person whose tenders may be accepted can be seen/purchased at the Division/Sub Division office between the hours of 11 A.M. and 5 P.M. every day except on Sunday and Public holidays .
4. The site of the work is available/or the site for the work shall be made available in the parts as specified below.
5. Tenders which should always be placed in sealed cover with the name of work written on the envelopes will be received by the Executive /Assistant Engineer__Keyong____Division/Sub Division up to 09.08.2018 and will be opened by him in his office on the same day at 3.30 PM.
6. Tenders are to be on I&PH Form No.....6&8..... which can be obtained from the office of Divisional/Sub Divisional officer concerned on the payment of a sum of Rs. 250/- in cash. The time allowed for the carrying out the work will be.....Six Months from the 15th day after the date of the written orders to commence work.
7. The contractor should quote in figure as well as in words the rate and amount tendered by them. The amount for each item should be worked out and the requisite totals given.
8. When a contractor signs a tender in an Indian language the percentage above or below and the tendered amount in the case I&PH Form No. 6&8 and the total amount tendered in the case of I&PH Nos. 8 and 12 should also be written in the same language. In the case of illiterate contractor the rates or the amount tendered should be attested by a witness.
9. Issue of tender form will be stopped _____days before the date fixed for the opening of tenders, i.e. On .08.08.2018 at 5.00PM.
10. Earnest money amount to Rs. 19,700/-... (unless exempted) in cash/Deposit at Call Receipt of Scheduled Bank guarantee by the Reserve Bank of India or in cash must accompany each tender and each tender to be in a sealed envelop subscribed Tender for the above work and addressed to the Executive/Assistant Engineer Division/Sub Division.
11. The tender of those contractors those who do not deposit the earnest money in the prescribed manner will summarily rejected.
12. The contractor of those tender is accepted, (unless exempted) will be required to furnish by way of security deposit for the due fulfillment of his contract, such some as will amount :-
(i) In case of work costing upto Rs. 5 lacs, 10% of tendered amount of the work.
(ii) In the case of work costing more than of Rs. 5 lacs but up to Rs. 10 lacs, 7.5 of the amount in excess of Rs. 5 lacs.
(iii) In case of work costing more than Rs. 10 lacs, 5% of the amount in excess Rs. 10 lacs.
The security deposit will be collected by deductions from running bills of the contractor at the rates mentioned above and the earnest money deposited in the shape o National Saving certificate in any of the post Office HP duly pledge in favour of the Engineer-in-Charge HPIPH Division will be accepted.
13. The acceptance of a tender will rest with the Executive Engineer, who does not bind himself to accept the lowest tender and reserves to himself the authority to reject any or all of the tenders received without the assignment of reason. All tenders in which any of the prescribed conditions are not fulfilled or are incomplete in any respect are liable to be rejected.
14. Canvassing in connection with tenders is strictly prohibited and the tenders submitted by the contract-ors who restore to canvassing will be liable to rejection.
15. All rates should be quoted on the proper form of the tender alone.
16. Any item rate tender containing percentage below/above will be similarly rejected. However where a tenderer voluntarily offers a rebate for payment with in a stipulated period this may be considered.
17. On acceptance of a tender the name of the authorized representative (s) of the contractor who would be responsible for taking instructions from the Engineer-in-Charge.
18. Special care should be taken to write the rates in figures as well as in words and the amount in figures, Only in such a way that interpolation is not possible. The total amount should be written both in figures and in words. In case of figures the word Rs should be written before the figures of the rupees and words 'P' after the decimal figure e.g.Rs215and in case of words the word Rupees should precede and the word Paisa should be written at the end. Unless the rate is in whole rupees and followed by the words 'only' it should invariably be upto two decimal place.

Addition DeletionCorrectionOverwriting.

(Contractor.....)

(Ex. Engineer.....)

19. The Government of H.P. does not bind himself to accept the lowest or any tender and reserves to himself to fight of accepting the whole or any part of the tender and the tenderer shall be bound to perform the same at the rate quoted.
20. Sales Tax or any other tax on material In respect of this contract shall be payable by the contractor and Govt. will not entertain any claim whatsoever in this respect or deduction at source will be regulated under the provision of the Sales Tax Act.
21. The contractor must produce Income Tax Clearance certificate on the revised form notified under Ministry of Finance O.M. No. 221/34/76 II AI dated 21-5-81 circulated under O.M. No. 17829/55(I) 86-Coord dated 28-8-81 before the tender papers can be sold to him.
22. The contractor shall not be permitted to tender for works in the I&PH (responsible for awards and execution of contracts) in which his near relative is posted as Divisional Accountant or as officer in any capacity between the grades of Superintendent Engineer and Junior Engineer (Both inclusive) He shall also intimate the names of persons who are working within him in any capacity or are subsequently employed by him and who are near relatives to any gazetted officer in I&PH Department in the ministry of urban development. Any breach of this condition by the contractor would render him liable to be removed from the approved list of contracts or this department.
23. The contractor shall give a list of non-gazetted I&PH employees related to him. No Engineer of Gazetted rank or other Gazetted officer employed in Engineering or Administrative duties in an Engineering Department of the Government of H.P. allowed to work as a contractor for a period of two years of his retirement from Government service without the previous permission of the Government of H.P. This contract is liable to be conceded if either the contractor or any of his employees is found at any time to be such it person who has not obtained the permission of the Government of H.P. as aforesaid before submission of the tender or engagement in the Contractor's service.
24. The tender for works shall remain open for acceptance for a period of -----days from the date of opening of tenders.
25. The contractors exempted from payment of earnest money/security deposit in individual cases should attach with the tender deposit and should produce the original whenever called upon to do so.
26. The tender for the work shall not be witnessed by a contractor or contractors who himself/themselves has/have tendered or who may and has/have tendered for the same work. Failure to observe this condition would render tenderers of the contractors tendering as well as witnessing the tender liable to similarly rejection
27. While quoting the rate in the schedule of quantities the word "ONLY" should be written cost following the amount and it should not be written in the next line.
28. In case the original tender of the successful tender is on plain papers it should be drawn up by HPIPH contract for signature of the even of letter's refusal to sing, his earnest money be forfeited.
29. The contractor shall submit a list of works which are in hand/ progress.
30. Overwriting in the tender is strictly forbidden and correction if any should be initiated, tender containing doubtful figure shall be rejected.

The tender shall sign each page of tender form.

In view of the short supply of tender documents from viz forms CPWA-6 etc. with department therefore, Executive Engineer/ Assistant Engineer I&PH Division/ Sub-Division Keylong and shall abide by them which execute the contract if concluded in my/ our favour.

"In case the lowest tenderer with draws the offer 'or fails to 'Start the work or refuses to carry out the work, for which he has tendered and found to be t he lowest one after its opening within the validity period. The earnest money so deposited by tenderer shall stand forfeited and will be absolutely at the disposal of the HP Govt. without any reservation on the part of the tenderer".

31. The decision of Executive Engineer, regarding the quantum of reduction as well as justification therefore in respect of Sub-standard work which may be decided to be accepted will be final will not be opened to arbitration.
32. i).Steel required for the bonafied use of work will arranged by the contractor himself against in authorization made by the concerned Executive Engineer from the principal manufacturer such as SAIL/TISCO & bills in support of purchase of steel will be attached with the running bills of the work done and supported with test certificate.
ii). Cement require for the bonafied use will be procured by the contractor from the principal manufacturer such as Amubja/ ACC and bills in support of purchase of cement will be attached with the running bills of the work done. Cement older than three months from the date of manufacturing will not be allowed to be used.
iii). Bitumen required for the bonafied use of work will be procured by the contractor against authorization made by the concerned Executive Engineer from the principal manufacturer such as Bharat Petroleum/ Indian Corporation and bill in support of purchase of bitumen will be attached. With the running bills of the work done.

Signature of Contractor
With full Address

Executive Engineer
I&PH Division Keylong
(for and on behalf of Governor of Himachal Pradesh)

Addition DeletionCorrectionOverwriting.

(Contractor.....)

(Ex. Engineer)

**GOVERNMENT OF HIMACHAL PARDESH
NOTICE INVITING TENDER
IRRIGATION & PUBLIC HEALTH**

EE Keylong

Division Keylong

SubDivision Udaipur

1. Tender in the prescribed forms I&PH **6&8** are hereby invited on the behalf of Governor of H.P. for name of work **Restoration of snow damages to FIS Baror in GP Tindi Distt. Lahaul Spiti (HP). (SH:- Protection work with wire crate embankment at RD 1125 to 1140 &C/o RCC channel at RD 1122 to 1142).**
2. **Estimated cost of Rs 1,75,367 only**
3. Contract Documents consisting of the detailed plan specifications, the schedule of quantities of the various classes of work to be done and the set conditions of contract to be complied with by the person whose tenders may be accepted can be seen/purchased at the Division/Sub Division office between the hours of 11 A.M. and 5 P.M. every day except on Sunday and Public holidays .
4. The site of the work is available/or the site for the work shall be made available in the parts as specified below.
5. Tenders which should always be placed in sealed cover with the name of work written on the envelopes will be received by the Executive /Assistant Engineer Keyong Division/Sub Division up to **09.08.2018** and will be opened by him in his office on the same day at **3.30 PM**.
6. Tenders are to be on I&PH Form No.....**6&8**..... which can be obtained from the office of Divisional/Sub Divisional officer concerned on the payment of a sum of Rs. **250/-** in cash. The time allowed for the carrying out the work will be.....**Six Months** from the 15th day after the date of the written orders to commence work.
7. The contractor should quote in figure as well as in words the rate and amount tendered by them. The amount for each item should be worked out and the requisite totals given.
8. When a contractor signs a tender in an Indian language the percentage above or below and the tendered amount in the case I&PH Form No. **6&8** and the total amount tendered in the case of I&PH Nos. 8 and 12 should also be written in the same language. In the case of illiterate contractor the rates or the amount tendered should be attested by a witness.
9. Issue of tender form will be stopped _____days before the date fixed for the opening of tenders, i.e. On **08.08.2018** at 5.00PM.
10. Earnest money amount to **Rs. 3600/-...** (unless exempted) in cash/Deposit at Call Receipt of Scheduled Bank guarantee by the Reserve Bank of India or in cash must accompany each tender and each tender to be in a sealed envelop subscribed Tender for the above work and addressed to the Executive/Assistant Engineer Division/Sub Division.
11. The tender of those contractors those who do not deposit the earnest money in the prescribed manner will summarily rejected.
12. The contractor of those tender is accepted, (unless exempted) will be required to furnish by way of security deposit for the due fulfillment of his contract, such some as will amount :-
 - (i) In case of work costing upto Rs. 5 lacs, 10% of tendered amount of the work.
 - (ii) In the case of work costing more than of Rs. 5 lacs but up to Rs. 10 lacs, 7.5 of the amount in excess of Rs. 5 lacs.
 - (iii) In case of work costing more than Rs. 10 lacs, 5% of the amount in excess Rs. 10 lacs.

The security deposit will be collected by deductions from running bills of the contractor at the rates mentioned above and the earnest money deposited in the shape o National Saving certificate in any of the post Office HP duly pledge in favour of the Engineer-in-Charge HPIPH Division will be accepted.
13. The acceptance of a tender will rest with the Executive Engineer, who does not bind himself to accept the lowest tender and reserves to himself the authority to reject any or all of the tenders received without the assignment of reason. All tenders in which any of the prescribed conditions are not fulfilled or are incomplete in any respect are liable to be rejected.
14. Canvassing in connection with tenders is strictly prohibited and the tenders submitted by the contract-ors who restore to canvassing will be liable to rejection.
15. All rates should be quoted on the proper form of the tender alone.
16. Any item rate tender containing percentage below/above will be similarly rejected. However where a tenderer voluntarily offers a rebate for payment with in a stipulated period this may be considered.
17. On acceptance of a tender the name of the authorized representative (s) of the contractor who would be responsible for taking instructions from the Engineer-in-Charge.
18. Special care should be taken to write the rates in figures as well as in words and the amount in figures, Only in such a way that interpolation is not possible. The total amount should be written both in figures and in words. In case of figures the word Rs should be written before the figures of the rupees and words ‘P’ after the decimal figure e.g.Rs215and in case of words the word Rupees should precede and the word Paisa should be written at the end. Unless the rate is in whole rupees and followed by the words ‘only’ it should invariably be upto two decimal place.

Addition DeletionCorrectionOverwriting.

(Contractor.....)

(Ex. Engineer.....)

(ii)

19. The Government of H.P. does not bind himself to accept the lowest or any tender and reserves to himself to fight of accepting the whole or any part of the tender and the tenderer shall be bound to perform the same at the rate quoted.
20. Sales Tax or any other tax on material In respect of this contract shall be payable by the contractor and Govt. will not entertain any claim whatsoever in this respect or deduction at source will be regulated under the provision of the Sales Tax Act.
21. The contractor must produce Income Tax Clearance certificate on the revised form notified under Ministry of Finance O.M. No. 221/34/76 II AI dated 21-5-81 circulated under O.M. No. 17829/55(I) 86-Coord dated 28-8-81 before the tender papers can be sold to him.
22. The contractor shall not be permitted to tender for works in the I&PH (responsible for awards and execution of contracts) in which his near relative is posted as Divisional Accountant or as officer in any capacity between the grades of Superintendent Engineer and Junior Engineer (Both inclusive) He shall also intimate the names of persons who are working within him in any capacity or are subsequently employed by him and who are near relatives to any gazetted officer in I&PH Department in the ministry of urban development. Any breach of this condition by the contractor would render him liable to be removed from the approved list of contracts or this department.
23. The contractor shall give a list of non-gazetted I&PH employees related to him. No Engineer of Gazetted rank or other Gazetted officer employed in Engineering or Administrative duties in an Engineering Department of the Government of H.P. allowed to work as a contractor for a period of two years of his retirement from Government service without the previous permission of the Government of H.P. This contract is liable to be conceded if either the contractor or any of his employees is found at any time to be such it person who has not obtained the permission of the Government of H.P. as aforesaid before submission of the tender or engagement in the Contractor's service.
24. The tender for works shall remain open for acceptance for a period of -----days from the date of opening of tenders.
25. The contractors exempted from payment of earnest money/security deposit in individual cases should attach with the tender deposit and should produce the original whenever called upon to do so.
26. The tender for the work shall not be witnessed by a contractor or contractors who himself/themselves has/have tendered or who may and has/have tendered for the same work. Failure to observe this condition would render tenderers of the contractors tendering as well as witnessing the tender liable to similarly rejection
27. While quoting the rate in the schedule of quantities the word "ONLY" should be written cost following the amount and it should not be written in the next line.
28. In case the original tender of the successful tender is on plain papers it should be drawn up by HPIPH contract for signature of the even of letter's refusal to sing, his earnest money be forfeited.
29. The contractor shall submit a list of works which are in hand/ progress.
30. Overwriting in the tender is strictly forbidden and correction if any should be initiated, tender containing doubtful figure shall be rejected.

The tender shall sign each page of tender form.

In view of the short supply of tender documents from viz forms CPWA-6 etc. with department therefore, Executive Engineer/ Assistant Engineer I&PH Division/ Sub-Division Keylong and shall abide by them which execute the contract if concluded in my/ our favour.

"In case the lowest tenderer with draws the offer 'or fails to 'Start the work or refuses to carry out the work, for which he has tendered and found to be t he lowest one after its opening within the validity period. The earnest money so deposited by tenderer shall stand forfeited and will be absolutely at the disposal of the HP Govt. without any reservation on the part of the tenderer".

31. The decision of Executive Engineer, regarding the quantum of reduction as well as justification therefore in respect of Sub-standard work which may be decided to be accepted will be final will not be opened to arbitration.
32. i).Steel required for the bonafied use of work will arranged by the contractor himself against in authorization made by the concerned Executive Engineer from the principal manufacturer such as SAIL/TISCO & bills in support of purchase of steel will be attached with the running bills of the work done and supported with test certificate.
ii). Cement require for the bonafied use will be procured by the contractor from the principal manufacturer such as Amubja/ ACC and bills in support of purchase of cement will be attached with the running bills of the work done. Cement older than three months from the date of manufacturing will not be allowed to be used.
iii). Bitumen required for the bonafied use of work will be procured by the contractor against authorization made by the concerned Executive Engineer from the principal manufacturer such as Bharat Petroleum/ Indian Corporation and bill in support of purchase of bitumen will be attached. With the running bills of the work done.

Signature of Contractor
With full Address

Executive Engineer
I&PH Division Keylong
(for and on behalf of Governor of Himachal Pradesh)

Addition DeletionCorrectionOverwriting.

(Contractor.....)

(Ex. Engineer)

GOVERNMENT OF HIMACHAL PARDESH
NOTICE INVITING TENDER
IRRIGATION & PUBLIC HEALTH

EE Keylong

Division Keylong

SubDivision Udaipur

1. Tender in the prescribed forms I&PH **6&8** are hereby invited on the behalf of Governor of H.P. for name of work **Lump Sum provision for Old WSS in Lahaul area (providing Water supply Scheme to new habitation Sharma (Udgosh) in GP Tingret Distt. Lahaul Spiti (HP). (SH:- Fixing of MS Tank 270 Lit, Laying, jointing & testing of HDPE pipe of various dia & C/o stand post=2 Nos.).**
2. **Estimated cost of Rs 1,25,028only**
3. Contract Documents consisting of the detailed plan specifications, the schedule of quantities of the various classes of work to be done and the set conditions of contract to be complied with by the person whose tenders may be accepted can be seen/purchased at the Division/Sub Division office between the hours of 11 A.M. and 5 P.M. every day except on Sunday and Public holidays .
4. The site of the work is available/or the site for the work shall be made available in the parts as specified below.
5. Tenders which should always be placed in sealed cover with the name of work written on the envelopes will be received by the Executive /Assistant Engineer Keylong Division/Sub Division up to **09.08.2018** and will be opened by him in his office on the same day at **3.30 PM**.
6. Tenders are to be on I&PH Form No.....**6&8**..... which can be obtained from the office of Divisional/Sub Divisional officer concerned on the payment of a sum of Rs. **250/-** in cash. The time allowed for the carrying out the work will be.....**Six Months** from the 15th day after the date of the written orders to commence work.
7. The contractor should quote in figure as well as in words the rate and amount tendered by them. The amount for each item should be worked out and the requisite totals given.
8. When a contractor signs a tender in an Indian language the percentage above or below and the tendered amount in the case I&PH Form No. **6&8** and the total amount tendered in the case of I&PH Nos. 8 and 12 should also be written in the same language. In the case of illiterate contractor the rates or the amount tendered should be attested by a witness.
9. Issue of tender form will be stopped _____days before the date fixed for the opening of tenders, i.e. On **08.08.2018** at 5.00PM.
10. Earnest money amount to **Rs. 2600/-**... (unless exempted) in cash/Deposit at Call Receipt of Scheduled Bank guarantee by the Reserve Bank of India or in cash must accompany each tender and each tender to be in a sealed envelop subscribed Tender for the above work and addressed to the Executive/Assistant Engineer Division/Sub Division.
11. The tender of those contractors those who do not deposit the earnest money in the prescribed manner will summarily rejected.
12. The contractor of those tender is accepted, (unless exempted) will be required to furnish by way of security deposit for the due fulfillment of his contract, such some as will amount :-
 - (i) In case of work costing upto Rs. 5 lacs, 10% of tendered amount of the work.
 - (ii) In the case of work costing more than of Rs. 5 lacs but up to Rs. 10 lacs, 7.5 of the amount in excess of Rs. 5 lacs.
 - (iii) In case of work costing more than Rs. 10 lacs, 5% of the amount in excess Rs. 10 lacs.

The security deposit will be collected by deductions from running bills of the contractor at the rates mentioned above and the earnest money deposited in the shape o National Saving certificate in any of the post Office HP duly pledge in favour of the Engineer-in-Charge HPIPH Division will be accepted.
13. The acceptance of a tender will rest with the Executive Engineer, who does not bind himself to accept the lowest tender and reserves to himself the authority to reject any or all of the tenders received without the assignment of reason. All tenders in which any of the prescribed conditions are not fulfilled or are incomplete in any respect are liable to be rejected.
14. Canvassing in connection with tenders is strictly prohibited and the tenders submitted by the contract-ors who restore to canvassing will be liable to rejection.
15. All rates should be quoted on the proper form of the tender alone.
16. Any item rate tender containing percentage below/above will be similarly rejected. However where a tenderer voluntarily offers a rebate for payment with in a stipulated period this may be considered.
17. On acceptance of a tender the name of the authorized representative (s) of the contractor who would be responsible for taking instructions from the Engineer-in-Charge.
18. Special care should be taken to write the rates in figures as well as in words and the amount in figures, Only in such a way that interpolation is not possible. The total amount should be written both in figures and in words. In case of figures the word Rs should be written before the figures of the rupees and words 'P' after the decimal figure e.g.Rs215and in case of words the word Rupees should precede and the word Paisa should be written at the end. Unless the rate is in whole rupees and followed by the words 'only' it should invariably be upto two decimal place.

Addition DeletionCorrectionOverwriting.

(Contractor.....)

(Ex. Engineer)

(ii)

19. The Government of H.P. does not bind himself to accept the lowest or any tender and reserves to himself to fight of accepting the whole or any part of the tender and the tenderer shall be bound to perform the same at the rate quoted.
20. Sales Tax or any other tax on material In respect of this contract shall be payable by the contractor and Govt. will not entertain any claim whatsoever in this respect or deduction at source will be regulated under the provision of the Sales Tax Act.
21. The contractor must produce Income Tax Clearance certificate on the revised form notified under Ministry of Finance O.M. No. 221/34/76 II AI dated 21-5-81 circulated under O.M. No. 17829/55(I) 86-Coord dated 28-8-81 before the tender papers can be sold to him.
22. The contractor shall not be permitted to tender for works in the I&PH (responsible for awards and execution of contracts) in which his near relative is posted as Divisional Accountant or as officer in any capacity between the grades of Superintendent Engineer and Junior Engineer (Both inclusive) He shall also intimate the names of persons who are working within him in any capacity or are subsequently employed by him and who are near relatives to any gazetted officer in I&PH Department in the ministry of urban development. Any breach of this condition by the contractor would render him liable to be removed from the approved list of contracts or this department.
23. The contractor shall give a list of non-gazetted I&PH employees related to him. No Engineer of Gazetted rank or other Gazetted officer employed in Engineering or Administrative duties in an Engineering Department of the Government of H.P. allowed to work as a contractor for a period of two years of his retirement from Government service without the previous permission of the Government of H.P. This contract is liable to be conceded if either the contractor or any of his employees is found at any time to be such it person who has not obtained the permission of the Government of H.P. as aforesaid before submission of the tender or engagement in the Contractor's service.
24. The tender for works shall remain open for acceptance for a period of -----days from the date of opening of tenders.
25. The contractors exempted from payment of earnest money/security deposit in individual cases should attach with the tender deposit and should produce the original whenever called upon to do so.
26. The tender for the work shall not be witnessed by a contractor or contractors who himself/themselves has/have tendered or who may and has/have tendered for the same work. Failure to observe this condition would render tenderers of the contractors tendering as well as witnessing the tender liable to similarly rejection
27. While quoting the rate in the schedule of quantities the word "ONLY" should be written cost following the amount and it should not be written in the next line.
28. In case the original tender of the successful tender is on plain papers it should be drawn up by HPIPH contract for signature of the even of letter's refusal to sing, his earnest money be forfeited.
29. The contractor shall submit a list of works which are in hand/ progress.
30. Overwriting in the tender is strictly forbidden and correction if any should be initiated, tender containing doubtful figure shall be rejected.

The tender shall sign each page of tender form.

In view of the short supply of tender documents from viz forms CPWA-6 etc. with department therefore, Executive Engineer/ Assistant Engineer I&PH Division/ Sub-Division Keylong and shall abide by them which execute the contract if concluded in my/ our favour.

"In case the lowest tenderer with draws the offer 'or fails to 'Start the work or refuses to carry out the work, for which he has tendered and found to be t he lowest one after its opening within the validity period. The earnest money so deposited by tenderer shall stand forfeited and will be absolutely at the disposal of the HP Govt. without any reservation on the part of the tenderer".

31. The decision of Executive Engineer, regarding the quantum of reduction as well as justification therefore in respect of Sub-standard work which may be decided to be accepted will be final will not be opened to arbitration.
32. i).Steel required for the bonafied use of work will arranged by the contractor himself against in authorization made by the concerned Executive Engineer from the principal manufacturer such as SAIL/TISCO & bills in support of purchase of steel will be attached with the running bills of the work done and supported with test certificate.
ii). Cement require for the bonafied use will be procured by the contractor from the principal manufacturer such as Amubja/ ACC and bills in support of purchase of cement will be attached with the running bills of the work done. Cement older than three months from the date of manufacturing will not be allowed to be used.
iii). Bitumen required for the bonafied use of work will be procured by the contractor against authorization made by the concerned Executive Engineer from the principal manufacturer such as Bharat Petroleum/ Indian Corporation and bill in support of purchase of bitumen will be attached. With the running bills of the work done.

Signature of Contractor
With full Address

Executive Engineer
I&PH Division Keylong
(for and on behalf of Governor of Himachal Pradesh)

Addition DeletionCorrectionOverwriting.

(Contractor.....)

(Ex. Engineer)

GOVERNMENT OF HIMACHAL PARDESH
NOTICE INVITING TENDER
IRRIGATION & PUBLIC HEALTH

EE Keylong

Division Keylong

SubDivision Udaipur

1. Tender in the prescribed forms I&PH **6&8** are hereby invited on the behalf of Governor of H.P. for name of work **R/M of various FIS under IPH Sub-Division Udaipur Distt. Lahaul Spiti (HP). (SH:- C/o Verandha (Covered) wooden panel for two rooms).**
2. **Estimated cost of Rs 6,30,079/-only**
3. Contract Documents consisting of the detailed plan specifications, the schedule of quantities of the various classes of work to be done and the set conditions of contract to be complied with by the person whose tenders may be accepted can be seen/purchased at the Division/Sub Division office between the hours of 11 A.M. and 5 P.M. every day except on Sunday and Public holidays .
4. The site of the work is available/or the site for the work shall be made available in the parts as specified below.
5. Tenders which should always be placed in sealed cover with the name of work written on the envelopes will be received by the Executive /Assistant Engineer Keyong Division/Sub Division up to **09.08.2018** and will be opened by him in his office on the same day at **3.30 PM**.
6. Tenders are to be on I&PH Form No.....**6&8**..... which can be obtained from the office of Divisional/Sub Divisional officer concerned on the payment of a sum of Rs. **250/-** in cash. The time allowed for the carrying out the work will be.....**Six Months** from the 15th day after the date of the written orders to commence work.
7. The contractor should quote in figure as well as in words the rate and amount tendered by them. The amount for each item should be worked out and the requisite totals given.
8. When a contractor signs a tender in an Indian language the percentage above or below and the tendered amount in the case I&PH Form No. **6&8** and the total amount tendered in the case of I&PH Nos. 8 and 12 should also be written in the same language. In the case of illiterate contractor the rates or the amount tendered should be attested by a witness.
9. Issue of tender form will be stopped _____days before the date fixed for the opening of tenders, i.e. On **08.08.2018** at 5.00PM.
10. Earnest money amount to **Rs. 12,700/-...** (unless exempted) in cash/Deposit at Call Receipt of Scheduled Bank guarantee by the Reserve Bank of India or in cash must accompany each tender and each tender to be in a sealed envelop subscribed Tender for the above work and addressed to the Executive/Assistant Engineer Division/Sub Division.
11. The tender of those contractors those who do not deposit the earnest money in the prescribed manner will summarily rejected.
12. The contractor of those tender is accepted, (unless exempted) will be required to furnish by way of security deposit for the due fulfillment of his contract, such some as will amount :-
 - (i) In case of work costing upto Rs. 5 lacs, 10% of tendered amount of the work.
 - (ii) In the case of work costing more than of Rs. 5 lacs but up to Rs. 10 lacs, 7.5 of the amount in excess of Rs. 5 lacs.
 - (iii) In case of work costing more than Rs. 10 lacs, 5% of the amount in excess Rs. 10 lacs.

The security deposit will be collected by deductions from running bills of the contractor at the rates mentioned above and the earnest money deposited in the shape o National Saving certificate in any of the post Office HP duly pledge in favour of the Engineer-in-Charge HPIPH Division will be accepted.
13. The acceptance of a tender will rest with the Executive Engineer, who does not bind himself to accept the lowest tender and reserves to himself the authority to reject any or all of the tenders received without the assignment of reason. All tenders in which any of the prescribed conditions are not fulfilled or are incomplete in any respect are liable to be rejected.
14. Canvassing in connection with tenders is strictly prohibited and the tenders submitted by the contract-ors who restore to canvassing will be liable to rejection.
15. All rates should be quoted on the proper form of the tender alone.
16. Any item rate tender containing percentage below/above will be similarly rejected. However where a tenderer voluntarily offers a rebate for payment with in a stipulated period this may be considered.
17. On acceptance of a tender the name of the authorized representative (s) of the contractor who would be responsible for taking instructions from the Engineer-in-Charge.
18. Special care should be taken to write the rates in figures as well as in words and the amount in figures, Only in such a way that interpolation is not possible. The total amount should be written both in figures and in words. In case of figures the word Rs should be written before the figures of the rupees and words 'P' after the decimal figure e.g.Rs215and in case of words the word Rupees should precede and the word Paisa should be written at the end. Unless the rate is in whole rupees and followed by the words 'only' it should invariably be upto two decimal place.

Addition DeletionCorrectionOverwriting.

(Contractor.....)

(Ex. Engineer.....)

(ii)

19. The Government of H.P. does not bind himself to accept the lowest or any tender and reserves to himself to fight of accepting the whole or any part of the tender and the tenderer shall be bound to perform the same at the rate quoted.
20. Sales Tax or any other tax on material In respect of this contract shall be payable by the contractor and Govt. will not entertain any claim whatsoever in this respect or deduction at source will be regulated under the provision of the Sales Tax Act.
21. The contractor must produce Income Tax Clearance certificate on the revised form notified under Ministry of Finance O.M. No. 221/34/76 II AI dated 21-5-81 circulated under O.M. No. 17829/55(I) 86-Coord dated 28-8-81 before the tender papers can be sold to him.
22. The contractor shall not be permitted to tender for works in the I&PH (responsible for awards and execution of contracts) in which his near relative is posted as Divisional Accountant or as officer in any capacity between the grades of Superintendent Engineer and Junior Engineer (Both inclusive) He shall also intimate the names of persons who are working within him in any capacity or are subsequently employed by him and who are near relatives to any gazetted officer in I&PH Department in the ministry of urban development. Any breach of this condition by the contractor would render him liable to be removed from the approved list of contracts or this department.
23. The contractor shall give a list of non-gazetted I&PH employees related to him. No Engineer of Gazetted rank or other Gazetted officer employed in Engineering or Administrative duties in an Engineering Department of the Government of H.P. allowed to work as a contractor for a period of two years of his retirement from Government service without the previous permission of the Government of H.P. This contract is liable to be conceded if either the contractor or any of his employees is found at any time to be such it person who has not obtained the permission of the Government of H.P. as aforesaid before submission of the tender or engagement in the Contractor's service.
24. The tender for works shall remain open for acceptance for a period of -----days from the date of opening of tenders.
25. The contractors exempted from payment of earnest money/security deposit in individual cases should attach with the tender deposit and should produce the original whenever called upon to do so.
26. The tender for the work shall not be witnessed by a contractor or contractors who himself/themselves has/have tendered or who may and has/have tendered for the same work. Failure to observe this condition would render tenderers of the contractors tendering as well as witnessing the tender liable to similarly rejection
27. While quoting the rate in the schedule of quantities the word "ONLY" should be written cost following the amount and it should not be written in the next line.
28. In case the original tender of the successful tender is on plain papers it should be drawn up by HPIPH contract for signature of the even of letter's refusal to sing, his earnest money be forfeited.
29. The contractor shall submit a list of works which are in hand/ progress.
30. Overwriting in the tender is strictly forbidden and correction if any should be initiated, tender containing doubtful figure shall be rejected.

The tender shall sign each page of tender form.

In view of the short supply of tender documents from viz forms CPWA-6 etc. with department therefore, Executive Engineer/ Assistant Engineer I&PH Division/ Sub-Division Keylong and shall abide by them which execute the contract if concluded in my/ our favour.

"In case the lowest tenderer with draws the offer 'or fails to 'Start the work or refuses to carry out the work, for which he has tendered and found to be t he lowest one after its opening within the validity period. The earnest money so deposited by tenderer shall stand forfeited and will be absolutely at the disposal of the HP Govt. without any reservation on the part of the tenderer".

31. The decision of Executive Engineer, regarding the quantum of reduction as well as justification therefore in respect of Sub-standard work which may be decided to be accepted will be final will not be opened to arbitration.
32. i).Steel required for the bonafied use of work will arranged by the contractor himself against in authorization made by the concerned Executive Engineer from the principal manufacturer such as SAIL/TISCO & bills in support of purchase of steel will be attached with the running bills of the work done and supported with test certificate.
ii). Cement require for the bonafied use will be procured by the contractor from the principal manufacturer such as Amubja/ ACC and bills in support of purchase of cement will be attached with the running bills of the work done. Cement older than three months from the date of manufacturing will not be allowed to be used.
iii). Bitumen required for the bonafied use of work will be procured by the contractor against authorization made by the concerned Executive Engineer from the principal manufacturer such as Bharat Petroleum/ Indian Corporation and bill in support of purchase of bitumen will be attached. With the running bills of the work done.

Signature of Contractor
With full Address

Executive Engineer
I&PH Division Keylong
(for and on behalf of Governor of Himachal Pradesh)

Addition DeletionCorrectionOverwriting.

(Contractor.....)

(Ex. Engineer)