

<b>SCHEDULE OF QUANTITY</b>							Job No. 1
<b>Name of work :- PLWSS Nishani, Kuikod, Degrach, Togi and Gharana etc. in Anni Block Distt. Kullu (H.P)</b>					<b>ESTIMATED COST</b>	<b>209463.00</b>	
<b>(S.H: C/O R/Wall from Rd 0 to 14 = 14 Mtrs.)</b>					<b>EARNEST MONEY</b>	<b>4189.00</b>	
					<b>TIME LIMIT:</b>	<b>2 MONTHS.</b>	
Sr. No	Description of items.	Quantity	Unit	Rate		Amount	
				In Fig.	In Words		
1	2	3	4	5	6	7	
1	Excavation in foundations trenches etc. in all kind of soil in all leads and lifts such as pick work, jumper work in saturated /unsaturated soil including bailing out water, blasting work in hard/soft rock or chiseling in hard/soft rock where blasting is prohibited in all leads and lifts stacking the excavated earth more than 3mtr.clear from the edge of excavation and then returning the stacked soil in 15cm.layers when required into plinth sides of foundation etc. consolidating each deposited layer by ramming and watering and disposing of all surplus excavated earth as directed within all leads and lifts complete to the entire satisfaction of	5.15	Cum				
2	Providing and laying cement concrete 1:5:10(1cement:5sand:10 graded stone aggregate of 40mm nominal size) with 15% plum and curing complete excluding cost of form work in retaining walls/breast walls, the size of plums shall usually be 150mm to 300mm as per H.P.P.W.D specification including all leads and lifts complete to the entire satisfaction of	56.98	Cum				
3	Providing form work with steel plates 3.15mm thick welded with angle iron in frame 30x30x5mm so as to give a rough finish including centering shuttering strutting and propping etc. height of propping and centering below supporting floor to ceiling not exceeding 4mtrs.and removal of the same for in situ reinforced concrete and plain concrete work including all leads and lifts complete to the entire satisfaction of Engineer-in-charge. a)Vertical surfaces such as walls (any thickness)portions and the like including attached	51.80	Sqm				
4	Boulder filling behind the R/Wall including all leads and lifts complete to the entire satisfaction of Engineer-in-charge.	3.92	Sqm				
<b>TERMS AND CONDITIONS</b>					<b>Total</b>		
1	The work shall be executed as per HPPWD/IPH specification and to the entire satisfaction of the Enginer-in-charge.						
2	The contrator shall be fully responsible for watch and ward of the material at site of work.						
3	Cement shall be issued by the department to the contractor @ 312/- per bag from Sub-Divisional Store, Nirmand on proper Indent.						
4	The contractor shall be responsible for any accident caused during the construction of the work and the loss if any will be born the contractor.						
5	Income Tax, Sale Tax, GST and labour cess shall be deducted from the bill of the contractor as applicable .						
6	Nothing shall be paid for rejected material.						
					<b>Executive Engineer,</b>		
					<b>I&amp;P.H Division, Anni</b>		

Job No. 2							
<b>SCHEDULE OF QUANTITY</b>							
<b>NAME OF WORK:-</b> A/R & M/O WSS / LWSS Thachwa Jagatkhana in G.P. Tunnan in Anni block Distt. Kullu H.P. (S.H:- C/O Sedimentation Tank)					<b>ESTIMATED COST</b>		<b>232998.00</b>
					<b>EARNEST MONEY</b>		<b>4660.00</b>
					<b>TIME LIMIT:</b>		<b>3 Months</b>
Sr. No	Description of items.	Qty	Unit	Rate		Amount.	
				In Fig.	In Words		
1	2	3	4	5	6	7	
1	Excavation in foundations trenches etc. in all kind of soil in all leads and lifts such as pick work, jumper work in saturated /un saturated soil including bailing out water, blasting work in hard/soft rock or chiseling in hard/soft rock where blasting is prohibited in all leads and lifts stacking the excavated earth more than 3mtr.clear from the edge of excavation and then returning the stacked soil in 15cm.layers when required into plinth sides of foundation etc. consolidating each deposited layer by ramming and watering and disposing of all surplus excavated earth as directed within all leads and lifts and handing over the usable materials available from excavation to department free of cost as per direction of Engineer-in-Charge within all leads and lifts.	24.24	Cum				
2	Providing and laying cement concrete 1:4:8(1cement:4sand:8graded stone aggregate of 40mm nominal size)and curing complete excluding cost of form work including all leads and lifts: a) Foundation and Plinth.	5.68	Cum.				
3	Providing and laying reinforcement cement concrete 1:1 1/2:3(1cement:1 1/2 sand: 3graded stone aggregate of 20mm nominal size)and curing complete excluding cost of form work and reinforcement for reinforced concrete work including all leads and lifts:						
	a) Foundation footings, bases of columns and the like and mass concrete.	0.36	Cum				
	b) Walls (any thickness) but not less than 0.10 Mtrs. hick including attached pilasters buttresses plinth and string course from top of foundation upto floor two levels.	14.34	Cum				
4	Providing &Laying mild /tor steel reinforcement for RCC. work including bending, binding and placing in position complete up to floor two level including all leads and lifts.: a) Tor steel	1053.92	Kg.				
5	Providing form work with steel plates 3.15mm thick welded with angle iron in frame 30x30x5mm so as to give a rough finish including centering shuttering strutting and propping etc. height of propping and centering below supporting floor to ceiling not exceeding 4mtrs.and removal of the same for in situ reinforced concrete and plain concrete work including all leads and lifts:						
	a)Vertical surfaces such as walls (any thickness)portions and the like including attached pilaster buttresses plinth and string course and the like	118.68	Sqmt.				
6	Providing and fixing of tube settler " Marvellous make"( Hexagonal Chevron Shape ) cross pattern tube PVC made and thickness of tube should not be less than 0.15 mm complete in all respect as per the direction of Engineer in charge.	9.00	cum				
<b>TERMS AND CONDITIONS</b>				<b>Total</b>		<b>0.00</b>	
1	Work will be carried out as per HP.PWD/IPH Specifications						
2	Cement & Steel will be issued to the contractor by the Department Cement @ 312/- Per Bag Sub Division store Nirmand & Steel Rs.4921/-Per Qtl at						
3	The contractor shall be responsible himself for watch and ward of material at site of work issued to him by the department						
4	Final payment shall be released after successful testing and entire satisfaction of the Engineer-in-Charge.						
5	Income Tax , Sale tax,GST and labour cess shall be deducted from the bill of the contractor as applicable.						
					Executive Engineer,		
					I&P.H. Division Anni		

						Job No. 3
<b>SCHEDULE OF QUANTITY</b>						
<b>NAME OF WORK:-</b> A/R & M/O WSS / WSS Chatti in G.P. Tunnan in Nirmand Block Distt. Kullu H.P. (S.H:- Sedimentation Tank).				<b>ESTIMATED COST</b>		<b>237135.00</b>
				<b>EARNEST MONEY</b>		<b>4743.00</b>
				<b>TIME LIMIT:</b>		<b>3 Months</b>
Sr. No	Description of items.	Qty	Unit	Rate		Amount.
				In Fig.	In Words	
1	2	3	4	5	6	7
1	Excavation in foundations trenches etc. in all kind of soil in all leads and lifts such as pick work, jumper work in saturated /un saturated soil including bailing out water, blasting work in hard/soft rock or chiseling in hard/soft rock where blasting is prohibited in all leads and lifts stacking the excavated earth more than 3mtr.clear from the edge of excavation and then returning the stacked soil in 15cm.layers when required into plinth sides of foundation etc. consolidating each deposited layer by ramming and watering and disposing of all surplus excavated earth as directed within all leads and lifts and handing over the usable materials available from excavation to department free of cost as per direction of Engineer-in-Charge within all leads and lifts.	24.24	Cum			
2	Providing and laying cement concrete 1:4:8(1cement:4sand:8graded stone aggregate of 40mm nominal size)and curing complete excluding cost of form work including all leads and lifts: a) Foundation and Plinth.	5.68	Cum.			
3	Providing and laying reinforcement cement concrete 1:1 1/2:3(1cement:1 1/2 sand: 3graded stone aggregate of 20mm nominal size)and curing complete excluding cost of form work and reinforcement for reinforced concrete work including all leads and lifts: a) Foundation footings, bases of columns and the like and mass concrete.	0.36	Cum			
	b) Walls (any thickness) but not less than 0.10 Mtrs. hick including attached pilasters buttresses plinth and string course from top of foundation upto floor two levels.	14.34	Cum			
4	Providing &Laying mild /tor steel reinforcement for RCC. work including bending, binding and placing in position complete up to floor two level including all leads and lifts.: a) Tor steel	1053.92	Kg.			
5	Providing form work with steel plates 3.15mm thick welded with angle iron in frame 30x30x5mm so as to give a rough finish including centering shuttering strutting and propping etc. height of propping and centering below supporting floor to ceiling not exceeding 4mtrs.and removal of the same for in situ reinforced concrete and plain concrete work including all leads and lifts: a)Vertical surfaces such as walls (any thickness)portions and the like including attached pilaster buttresses plinth and string course and the like	118.68	Sqmt.			
6	Providing and fixing of tube settler " Marvellous make"( Hexagonal Chevron Shape ) cross pattern tube PVC made and thickness of tube should not be less than 0.15 mm complete in all respect as per the direction of Engineer in charge.	9.00	cum			
<b>TERMS AND CONDITIONS</b>				<b>Total</b>		
1	Work will be carried out as per HP.PWD/IPH Specifications					
2	Cement & Steel will be issued to the contractor by the Department Cement @ 312/- Per Bag Sub Division store Nirmand & Steel Rs.4921/-Per Qtl at IPH Divisional Store Anni.					
3	The contractor shall be responsible himself for watch and ward of material at site of work issued to him by the department					
4	Final payment shall be released after successful testing and entire satisfaction of the Engineer-in-Charge.					
5	Income Tax , Sale tax,GST and labour cess shall be deducted from the bill of the contractor as applicable.					
				Executive Engineer,		
				I&P.H. Division Anni		